

CEYLON ELECTRICITY BOARD SRI LANKA

GREEN POWER DEVELOPMENT AND ENERGY EFFICIENCY IMPROVEMENT INVESTMENT PROGRAM (TRANCHE 2)

(ADB LOAN NO: 3483/3484)

PACKAGE 8 - LOT B

Procurement of Plant^O

Design, Supply, and Installation

Single-Stage: Two-Envelope Bidding Procedure

BIDDING DOCUMENT

Procurement

ion Cc

Augmentation of: Ambalangoda 132/33kV Gridoubstation

Pannala 132/33kV Grid Substation

VOLUME 2 of 8 Part I- BIDDING PROCEDURES

Section 4-Bidding Forms: Part A-Price Bid

Issued on: 25 June 2020 Invitation for Bids No.: CEB/AGM/PRO/2019/ÌFB/GPDEEIIP-T2-P8-LOT B ICB No.: CEB/AGM/PRO/2019/ICB/GPDEEIIP-T2-P8-LOT B Employer: Ceylon Electricity Board Country: Sri Lanka Projects Division Ceylon Electricity Board, P.O. Box 540, Colombo 02 Sri Lanka Document – Revision 1

© Transmission Design & Environment Branch, CEB

whormation copy. Not for Bidding

Preface

This Bidding Document for Procurement of Plant – Design, Supply, and Installation, has been prepared by Ceylon Electricity Board and is based on the Standard Bidding Document for Procurement of Plant – Design, Supply, and Installation (SBD Plant) issued by the Asian Development Bank dated December 2016.

ADB's SBD Plant has the structure and the provisions of the Master Procurement Document entitled "Procurement of Plant – Design, Supply, and Installation", prepared by multilateral development banks and other public international financial institutions except where ADB-specific considerations have required a change.

Homaion copy. Not for Bidding

Table of Contents - Summary Description

VOLUME 1 OF 8

PARTI BIDDING PROCEDURES

Section 1 - Instructions to Bidders (ITB) --------- 1-1 This Section specifies the procedures to be followed by Bidders in the preparation and submission of their Bids. Information is also provided on the submission, opening, and evaluation of bids and on the award of contract.

Section 2 - Bid Data Sheet (BDS) ----- 2-1 This Section consists of provisions that are specific to each procurement and supplement the information or requirements included in Section 1 - Instructions to Bidders.

Section 3 - Evaluation and Qualification Criteria (EQC) --------- 3-1 sor Bidding This Section contains the bid evaluation criteria to determine the lowest evaluated bid and lists the necessary qualifications of Bidders.

VOLUME 2 OF 8

PARTI

Section 4 - Bidding Forms (BDF) -4A-1 Part A-Price Bid This Section contains the forms which are to be concluded by the Bidder and submitted as part of its Bid.

VOLUME 3 OF 8



BIDDING PROCEDURES

Section 4 - Biddin Forms (BDF)	4B-1
Part B-Technical Bid	
This Section contains the forms which are to be completed by the Bidder and submitted as part of its Bid.	
Section Eligible Countries (ELC)	5-1
This Section contains the list of eligible countries.	

VOLUME 4 OF 8

REQUIREMENTS PART II

Section 6 - Employer's Requirements (ERQ) ------ 6A-1 Part A-Scope of Works

VOLUME 5 OF 8

PART II REQUIREMENTS

Section 6 - Employer's Requirements (ERQ) ------ 6B-1 Part B-Technical Specification

VOLUME 6 OF 8

PART II REQUIREMENTS

Section 6 - Employer's Requirements (ERQ) ------ 6C-1 Part C-Drawings

VOLUME 7 OF 8

PART II REQUIREMENTS

Section 6 - Employer's Requirements (ERQ)	 6D-1
Part D-Supplementary Information	

Section 6 - Employer's Requirements (ERQ) ------ 6D-1 Part E-Bank Guarantees and Certificates, Change Orders

VOLUME 6 OF 8

PART III CONDITIONS OF CONTRACT ANO CONTRACT FORMS

Section 7 - General Conditions of Contract (GCC) ------ **7-1** This Section contains the general clauses to be applied in all contracts. These Conditions are subject to the variations and additions set out if Section 8 (Special Conditions of Contract).

Section 8 - Special Conditions of Contract (SCC) ------- **8-1** This Section contains provisions that are specific to each contract and that modify or supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC. The clause number of the SCC is the corresponding clause number of the GCC.

9-1 Section 9 - Contract Forms (COF) -------9 This Section contains forms, which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after contract award.

Section 4 - Bidding Forms Part A – Price Bid

This section contains the forms to be completed by the Bidder and submitted as part of its Bid.

Table of Forms

etter of Price Bid4-	-6
rice Schedules	-8
chedule No. 1. Plant and Mandatory Spare Parts Supplied from Abroad	10
chedule No. 2. Plant and Mandatory Spare Parts Supplied from within the Employer's Country .4-1	10
chedule No. 3. Design Services	12
chedule No. 4. Civil Works, Installation and Other Services	13
chedule No. 5. Grand Summary4-1	14
chedule No. 6. Recommended Spare Parts Tools and Instruments	15
chedule No. 7. Day Works (Provisiona)	13
chedule No. 8. Rates for Variation	14
chedule No. 9. Schedule of Major Items of Constructional Plant4-1	15

Letter of Price Bid

-- Note –

The bidder must accomplish the Letter of Price Bid on its letterhead clearly showing the bidder's complete name and address.

	Date:
	ICB No.:
	Invitation for Bid No.:
To: [insert complete name of the employer]
We,	the undersigned, declare that:
(a)	We have examined and have no reservations to the Edding Document, including Addenda issued in accordance with Instructions to Bidders (TB) 8.
(b)	We offer to design, manufacture, test, deliver install, pre-commission, and commission in conformity with the Bidding Document the rollowing Plant and Services: [insert narrative]
(c)	The total price of our Bid, excluding any discounts offered in item (d) below is the sum of
	[amount of foreign currency inwords], [amount in figures], and [amount of local currency in words], [amount in figures]
	The total bid price from the Grand Summary (Schedule No. 5) should be entered by the Bidder inside this box. Absence of the total bid price in the Letter of Price Bid may result in the rejection of the bid.
	W.

- (d) The discounts offered and the methodology for their application are as follows: [... insert discounts and methodology for their application if any . . .]
- (e) Our Bid shall be valid for a period of [... insert bid validity period as specified in ITB 20.1 of the BDS ...] days from the date fixed for the submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- (f) If our Bid is accepted, we commit to obtain a performance security in accordance with the Bidding Document.

(g) We have paid, or will pay the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract: ¹

Name of Recipient	Address	Reason	Amount
		••••••	

- (h) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (i) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.
- (j) We agree to permit ADB or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by ADB.

Name	
In the capacity of	
Signed	
Duly authorized to sign the Bid for aroth behalf of	
Date	
¢O.	
W.	

¹ If none has been paid or is to be paid, indicate "None."

Price Schedules

PREAMBLE

General

- 1. The Price Schedules are divided into separate Schedules as follows:
 - Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad
 - Schedule No. 2: Plant and Mandatory Spare Parts Supplied from within the Employer's Country
 - Schedule No. 3: Design Services
 - Schedule No. 4: Civil Works, Installation and Other Services
 - Schedule No. 5: Grand Summary
 - Schedule No. 6: Recommended Spare Parts, Tools and Instruments

- Schedule No. 9: Schedule of Major Items of Construction The Schedules do not generally give a full description of the plant to be supplied and the 2. services to be performed under each item. Bidders shall be deemed to have read the Employer's Requirements and other sections of the Bidding Document and reviewed the Drawings to ascertain the full scope of the requirements included in each item prior to filling in the rates and prices. The entered rates and prices shall be deemed to cover the full scope as aforesaid, including overheads and profit
- If Bidders are unclear or uncertain as to the scope of any item, they shall seek clarification in 3. accordance with ITB 7 prior to subhitting their bid.

Pricing

- The units and rates in mires entered into the Price Schedules should be typewritten or if written 4. by hand, must be intervention of the second presented accordingly may be considered nonresponsive. An alterations necessary due to errors, etc., shall be initialed by the Bidder. As specified kee Bid Data Sheet and Special Conditions of Contract, prices shall be fixed and firm for the Quration of the Contract, or prices shall be subject to adjustment in accordance with the corresponding Appendix (Price Adjustment) to the Contract Agreement.
- 5. Bid prices shall be quoted in the manner indicated and in the currencies specified in the Instructions to Bidders in the Bidding Document.

For each item, Bidders shall complete each appropriate column in the respective Schedules, giving the price breakdown as indicated in the Schedules.

Prices given in the Schedules against each item shall be for the scope covered by that item as detailed in Section 6 (Employer's Requirements) or elsewhere in the Bidding Document.

- 6. Payments will be made to the Contractor in the currency or currencies indicated under each respective item.
- 7. When requested by the Employer for the purposes of making payments or part payments, valuing variations or evaluating claims, or for such other purposes as the Employer may reasonably require, the Contractor shall provide the Employer with a breakdown of any composite or lump sum items included in the Schedules.

Schedule No. 1 - Plant and Mandatory Spare Parts Supplied from Abroad

Item	Description ¹	Country of Origin	Qty.	Unit Price ²		Total Price ²	Taxes and Duties
item				Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
1.2.1	. AMBALANGODA GRID SUBST	ATION					
Α	Outdoor Switchgear 1.2.1.1						
1	01 No. 145kV Transformer bay	1.2.1.1.1		-	_		
	Three phase busbar		1 No.				
	disconnector Three phase circuit breaker		1 No.				
	Single phase current		3 Nos.			.0	
	transformers Single phase surge arresters		3 Nos.			JIC S	
	with counters Neutral current transformer		1 No.		0		
	Set of accessories		1 NO. 1 Lot				
2	01 No. 36kV Transformer Bay :	1.2.1.1.2	1100	<u>└─<u></u> </u>	· · · · ·		
-	Single phase surge arresters with counters		3 Nos.	Lo'L			
	Cable connection between main transformer and outdoor equipment including required accessories	С С	Lot				
	Cable connection between main transformer and indecor switchgear including required	0	1 Lot				
	accessories						
	Connections, connectors, clamps, and access ladders etc. including connections to transformer 36kV bushings.		1 Lot				
3	03 No. 36kV Line Feeder Bay 1	.2.1.1.3				•	
	Single phase surge arresters with counters		9 Nos.				
	Set of bay connections, connectors, clamps and accessories		3 Lot				
	Set of cable connection between indoor switchgear and outdoor equipment		3 Lot				

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties
		Origin	u.,.	Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
4	01 No. 36kV Generator Feeder	Bay 1.2.1.	1.4				
	Single phase surge arresters		3 Nos.				
	with counters		5 1103.				
	Set of bay connections,						
	connectors, clamps and		1 Lot				
	accessories						
	Set of cable connection						
	between indoor switchgear		1 Lot				
	and outdoor equipment						
5	01 No. of 36kV, 800A/30s Eart	hing Trans		ay 1.2.1.1.5	5	1	
	Neutral current transformer		1 No.				
						\diamond	
	Outdoor equipment including set of connections,						
	connectors, clamps,					D ,	
	structures, access ladders etc.		1 Lot		0	ing	
	to connect 36kV outdoor				$\mathbf{\nabla}$		
	busbars and NCT			s v			
				X			
В	SF ₆ INSULATED INDOOR SWITC	CHGEAR 1.	2.1.2	70.			
1	01 No. 36kV Transformer bay :	1.2.1.2.1					
	36kV, 2500A, 25kA, three		Set				
	phase bus bars.						
	Busbar disconnector	C	1 No.				
	3-phase circuit breaker		1 No.				
	Current Transformers	0.	3 Nos.				
	Single phase voltage		3 Nos.				
	transformers						
	Cable termination and accessories specified		1 Lot				
	Set of miscellaneous items		1 Lot				
2	04 Nos. 36kV Line Feeder bays	1.2.1.2.2	I LOL				
 	36kV, 2500A, 25kA, three	±.2.1.2.2					
	phase bus bars.		4 Set				
	Busbar disconnector		4 Nos.				
	3-phase circuit breaker		4 Nos.				
	Current Transformers		12 Nos.				
	Single phase voltage		10 N				
	transformers		12 Nos.				
	Cable termination and		4 Lot				
	accessories specified						
	Set of miscellaneous items		4 Lot				
3	01 No. 36kV Generator Feeder	bay 1.2.1	.2.3				
	36kV, 2500A, 25kA, three		1 Set				
	phase bus bars.						
	Busbar disconnector		1 No.				
	3-phase circuit breaker		1 No.				

Item	Description ¹	Country of Origin	Qty.	Unit Price ²		Total Price ²	Taxes and Duties
				Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
	Current Transformers		3 Nos.				
	Single phase voltage		3 Nos.				
	transformers		5 1103.				
	Cable termination and		1 Lot				
	accessories specified		1 100				
	Set of miscellaneous items		1 Lot				
4	Modification of Existing SF6 In	sulated In	door Swit	chgear 1.2	.1.2.4		
	Cable termination and		1				
	accessories specified		1 Lot				
	Current Transformers		3 Nos.				
	Set of miscellaneous items		1 Lot				
5	01 No. Bus riser bay/ Expansio	n panel 1.	2.1.2.5	-			
	36kV, 2500A, 25kA, three		1.0.4			\mathbf{A}	
	phase bus bars.		1 Set				
	Busbar disconnector		1 No.		2		
	3-phase circuit breaker		1 No.		20		
	Current Transformers		3 Nos.		V		
	Cable termination and		4.1				
	accessories specified		1 Lot				
	Set of miscellaneous items		1 Lot	⁰			
6	GIS voltage transformers 1.2.1	.2.6	٢	3			
	Single phase voltage			·			
	transformers		3 Nos.				
С	MODIFICATION OF LVAC SWIT	CH BOAR	5 .2.1.3				
	400V Distribution Panel	C)	1 Lot				
	Modification	0	I LOL				
D	MODIFICATIONS OF BATTER	HARGE	RS, DISTR	RIBUTION E	BOARDS &	& INVERTER	
U	EQUIPMENT 1.2.1.4						
	Required Modifications		1 Lot				
Е	PROTECTION, METERING, MO	NITORING	AND CON	TROL 1.2.:	1.5		
1	Modifications to Substation Auto	omation Sy	stem 1.2.1	.5.1 (each in	dividual ite	em shall be pri	ced)
	Industrial Ethernet Switches						
	used for IEC 61850 with fiber		1 Lot				
	interfaces		I LOU				
	Fiber optic cables, Ethernet						
	cables and other accessories		1 Lot				
	Connecting New control &		ļ				
	protection IEDs to existing IEC						
	61850 SAS communication		1 Lot				
	network using fiber optic		1 101				
	cables						
	Necessary configurations of						
	SAS		1 Lot				
2	145kV Protection & Control fac	cilities 1.2	157				
2			.1.3.2				
	145kV Transformer bays 1.2.1.5.2.1		1 No.				
						-	

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties
		Origin	-	Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
	Ethernet switches and						
	necessary accessories		2 Nos.				
	36kV Line Feeder bays						
	1.2.1.5.3.1		4 Nos.				
	36kV Transformer bay		1 No.				
	1.2.1.5.3.2		I NO.				
	36kV Generator Feeder bay		1 No.				
	1.2.1.5.3.3		I NO.				
	36kV Bus section bay		1 No.				
	1.2.1.5.3.4, 1.2.1.5.3.5		I NO.				
	36kV Cable between panel						
	no.H14 and panel no.H15.		1 No.				
	1.2.1.5.3.6						
	Modification of capacitor bank						
	control & protection		1 No.				
	1.2.1.5.3.7				6.	<u>ر</u>	
4	Modification of Energy		1 Lot		0		
4	Metering panels 1.2.1.5.4						
F	MODIFICATION OF COMMUNI	CATION S	YSTEM AN		SATEWA	YS 1.2.1.6	
	Modules for Multiplexer		1 Lot	ن من ا			
	1.2.1.6.1		1 100	2			
	Required SCADA for						
	Ambalangoda Grid Substation		110				
	1.2.1.6.2		\mathcal{O} ,				
	Integration of SCADA for	C)					
	Ambalangoda Grid Substation	\sim	1 Lot				
	1.2.1.6.3.	0,					
G	SUBSTATION EARTHING		1 Lot				
	MODIFICATION 1.2.1.7						
	LIGHTNING PROTECTION						
н	SYSTEM MODIFICATION		1 Lot				
	1.2.1.8						
1	GROUNDING SYSTEM		1 Lot				
—	MODIFICATION 1.2.1.9 POWER AND CONTROL CABLES	512140					
J 1	36kV Power cables and termin		1 10 1				
1	SURV FUWER CADIES AND LERMIN		.1.10.1				
	Re-routing the existing cable						
	from panel no.H14 to F6 of						
	33kV gantry to panel no.H17		1 Lot				
	to F6 and termination						
	accessories.						
	Between Panel No.H14 of						
	existing 36kV indoor						
	switchgear and Panel No.H15		1 Lot				
	of new 36kV indoor						
	switchgear and termination						
	accessories.						

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties Local
		Origin		Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
	Between Power transformer and new 36kV indoor switchgear and termination accessories		1 Lot				
	Between switchgear panels to outdoor gantries for Line feeders and termination accessories		3 Lot				
	Switchgear panels to outdoor gantries for Generator feeders and termination accessories		1 Lot			0	
	Between Power transformer and Earthing Transformer and termination accessories		1 Lot	્ર્ય્વ	Bid		
2	All LVAC power cables and terminations. 1.2.1.10.2		1 Lot				
3	All DC power and control cables and terminations. 1.2.1.10.3		P ^{opt}	•			
4	All cables required for Protection, Control, Instrumentation, Communication, SCADA and termination. 1.2.1.104	of C	1 Lot				
5	All cables required for station lighting, small power, fire protection, ventilation equipment. 1.2.1.10.5		1 Lot				
к	TRANSFORMERS 1.2.1.11		<u> </u>				
	Power Transformer		1 No.				
	Earthing Transformer		1 No.				
L	SUPPORTING STRUCTURES INCLUDING GANTRIES 1.2.1.12		1 Lot				
м	MARSHALLING KIOSK 1.2.1.13		1 Lot				
N	SITE CLEARING AND HANDING OVER REMOVED ITEMS 1.2.1.14		1 Lot				

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties
nem	Soconpiton	Origin	Gty.	Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
0	MISCELLANEOUS WORKS		1 Lot				
0	1.2.1.15		1 LOI				
Ρ	SPARE PARTS 1.2.1.16 *						
Q	TOOLS AND INSTRUMENTS						
ų	1.2.1.17 *						
1.2.2	. PANNALA GRID SUBSTATION						
Α	Outdoor Switchgear 1.2.2.1						
1	01 No. 145kV Transformer bay	1.2.2.1.1					
	Three phase busbar		1 No.				
	disconnector						
	Three phase circuit breaker		1 No.				
	Single phase current		3 Nos.				
	transformers						
	Single phase surge arresters with counters		3 Nos.		, Ò	ľ.	
	Neutral current transformer		1 No.		\mathbf{O}		
	Set of accessories		1 NO.				
2	01 No. 36kV Transformer Bay	1.2.2.1.2	1 200	<u> </u>		I	
-	Single phase surge arresters						
	with counters		3 Nos.				
	Cable connection between		5				
	main transformer and outdoor	$ c\rangle$	1 Lot				
	equipment including required						
	accessories	6					
	cable connection between						
	indoor switchgear and		1 Lot				
	outdoor equipment folluding required accessories etc						
	required accessories etc						
	Connections, connectors,		4.1+				
	clamps, access ladders etc		1 Lot				
3	04 Nos. 36kV Line Feeder Bays	1.2.2.1.3					
	Single phase surge arresters		12 Nos.				
	with counters		12 1103.				
	Set of bay connections,						
	connectors, clamps and		4 Lots				
	accessories						
	Set of cable connection						
	between indoor switchgear		4 Lots				
	and outdoor equipment						
4	04 No. 36kV Generator Feeder	Bays 1.2.2	2.1.4				
	Single phase surge arresters		12 Nos.				
	with counters		12 1103.				

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties
		Origin	-	Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
	Set of bay connections,						
	connectors, clamps and		4 Lot				
	accessories						
	Set of cable connection						
	between indoor switchgear		4 Lot				
	and outdoor equipment						
5	01 No. of 36kV, 800A/30s Eart	hing Trans	former ba	ays 1.2.2.1	.5		
	Neutral current transformer		1 No.				
	Cable connection between						
	earthing transformer and						
	outdoor bus bars of main		1 Lot				
	transformer including						
	accessories					\mathbf{a}	
В	SF ₆ INSULATED INDOOR SWIT	CHGEAR 1.	2.2.2				
1	02 Nos. 36kV Transformer bay	s 1.2.2.2.1			2	<u></u>	
	Three phase busbars		2 Sets				
	Three phase busbar				$\mathbf{\nabla}$		
	disconnector with earth		2 Nos.	ဂ်ိ			
	switch			X			
	Three phase circuit breaker		2 Nos.				
	Single phase current		6 Nos				
	transformers		UNUS				
	Single phase VT		6 Nos.				
	Cable termination and	c	2 Lot				
	accessories specified	U	2 101				
	Set of miscellaneous items		2 Lot				
2	04 Nos. 36kV Generator Feed	bays 1.2					
	Three phase busbars	ľ	4 Sets				
	Three phase busbar						
	disconnector with earth		4 Nos				
	switch						
	Three phase circuit breaker	ļ	4 Nos				
	Single phase current		12 Nos.				
	transformers					ļ	
	Single phase VT		12 Nos.				
	Cable termination and		4 lots				
	accessories specified						
	Set of miscellaneous items		4 Lots				
3	04 No. 36kV Feeder bay 1.2.2	.2.3	1.0.1			[]	
	Three phase busbars		4 Sets				
	Three phase busbar						
	disconnector with earth		4 Nos				
	switch						
	Three phase circuit breaker		4 Nos				
	Single phase current transformers		12 Nos.				
	Single phase VT	1	12 Nos.				

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties
	•	Origin	-	Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
	Cable termination and		4 lots				
	accessories specified		4 1013				
	Set of miscellaneous items		4 Lots				
4	01 No. 36kV Bus Section bay 1	.2.2.2.4					
	Three phase busbars		1 Set				
	Three phase disconnector		2 Nos.				
	with earth switch		4.84				
	Three phase circuit breaker		1 No.				
	Single phase current		2 Nos				
	transformers with cores as 2500/1A 5P20		3 Nos.				
	Set of miscellaneous items		1 Lot				
		[
4	01 No. 36kV GIS Voltage Trans	iormer 1.2	2.2.2.5				
	single phase voltage		6 Nos.				
	transformers				کم ب) .	
С	MODIFICATION OF LVAC SWIT	CH BOARD	JS 1.2.2.3				
	Necessary items for		1 Lot		\mathbf{V}		
D	modification BATTERIES, CHARGERS, DISTRI				FOLIDM	ENT 1 2 2 4	
1	110V Battery system 1.2.2.4.1	BUTION B	UAND3 &		EQUIPIVI	EINT 1.2.2.4	•
1			2 Nos.	<u>70</u>			
	110V Ni-Cd battery banks						
	Charging equipment		2 Sets				
	Selector switch for Chargers 1		No.				
	and 2	-	<u>ر</u>				
	Required Modifications to 110V DC DB	Sr.	1 Lot				
	Set of miscellaneous items		1 Lot				
2	Inverter System for Substation	Automati	ion Systen	n 1.2.2.4.2	•		
	Inverters with automatic load transfer facility		2 Sets				
3	Positive Grounded 48V DC Sys	tem for SC	ADA and	Communic	ation Sys	stem 1.2.2.4	.3
	Galvanically Isolated DC - DC converters (110V DC to 48V DC, 20A each)		2 Nos.				
	Required Modifications to 48V DC DB		1 Lot				
Е	PROTECTION, METERING, MO	NITORING	AND CON	TROL 1.2.2	2.5		
1	Modifications to Substation Auto	omation Sy	stem 1.2.2.	5.1 (each ir	ndividual	item shall be	priced)
	Industrial Ethernet Switches used for IEC 61850 with fiber interfaces		1 Lot				
	Fiber optic cables, Ethernet cables and other accessories		1 Lot				

Item	Description ¹	Country of Origin	Qty.	Unit P Foreign		Total Price ² Foreign	Taxes and Duties Local
				Currency	CIP	Currency	Currency
1	2	3	4	5	6	7 = 4 x 6	8
	Connecting New control & protection IEDs to existing IEC 61850 SAS communication network using fiber optic cables		1 Lot				
	Necessary configurations of SAS (Subjected to the approval of the employer)		1 Lot				
2	145kV Protection & Control fac	cilities 1.2	.2.5.2				
	145kV Transformer bays 1.2.2.5.2.1		1 No.				
3	36kV Protection & Control faci	lities 1.2.2	2.5.3			$\overline{\mathbf{x}}$	
	Ethernet switches and necessary accessories		4 Nos.		did		
	36kV Line Feeder bays 1.2.2.5.3.1		4 Nos.	kQ KQ			
	36kV Transformer bays 1.2.2.5.3.2		2 Nos.	JO'			
	36kV Generator Feeder bays 1.2.2.5.3.3		4 Nos.				
	36kV Bus section bay 1.2.2.5.3.4, 1.2.2.5.3.5	S C	1 No.				
4	Energy Metering Panels	0.	1 Lot				
F	MODIFICATION OF COMMUNI	CATION S	STEM AN	D SCADA (GATEWA	YS 1.2.2.6	
	Modules for Multiplexer 1.2.2.6.1		1 Lot				
	Required SCADA for Pannala Grid Substation 1.2.2.6.2		1 Lot				
	Integration of SCADA for Pannala Grid Substation (Subjected to the approval of the employer)1.2.1.6.3.		1 Lot				
G	SUBSTATION EARTHING MODIFICATION 1.2.2.7		1 Lot				
н	LIGHTNING PROTECTION SYSTEM MODIFICATION 1.2.2.8		1 Lot				
I	GROUNDING SYSTEM MODIFICATION 1.2.2.9		1 Lot				

		Country of		Unit P	rice ²	Total Price ²	Taxes and Duties
Item	Description ¹	Origin	Origin Origin		CIP	Foreign	Local
	2	3	4	Currency 5	6	Currency 7 = 4 x 6	Currency 8
	2 POWER AND CONTROL CABLES	-	4	5	0	1 = 4 X O	0
1	36kV Power cables and termin		.2.10.1				
-	(Note: Individual item shall be						
			, 4				
	Re-routing existing 36kV power cable from Power Transformer No. 03 to existing GIS panel, to relevant GIS panel of the new 36kV indoor switchgear and termination accessories.		1 Lot				
	Power transformer No. 03 to new 36kV indoor switchgear and termination accessories. (Subjected to employer's approval)		1 Lot		Bild	ing	
	Between between Power transformer No.04 and new 36kV indoor switchgear and termination accessories.		1 Lot	vot to			
	Between switchgear panels to outdoor gantries for Line feeders and termination accessories	ړې	RLots				
	Between switchgear panels to outdoor gantries for Generator feeders and termination accessories	0.	4 Lot				
	Between Power (Cansformer No. 4 and Earthing Transformer and termination accessories		1 Lot				

	1	Country of	•	Unit P	rice ²	Total Price ²	Taxes and Duties
Item	Description ¹	Origin	Qty.	Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
2	All LVAC power cables and terminations. 1.2.2.10.2		1 Lot				
3	All DC power and control cables and terminations. 1.2.2.10.3		1 Lot				
4	All cables required for Protection, Control, Instrumentation, Communication, SCADA and termination 1.2.2.10.4		1 Lot				
5	All cables required for station lighting, small power, fire protection, ventilation equipment. 1.2.2.10.5		1 Lot			ano	
К	TRANSFORMERS 1.2.2.11				\mathcal{O}		
	Power Transformer		3 Nos.	40			
	Earthing Transformer		1 No.	0,			
L	SUPPORTING STRUCTURES INCLUDING GANTRIES 1.2.2.12		1 Lot				
Μ	MARSHALLING KIOSK 1.2.2.13	S	1 Lot				
N	SITE CLEARING AND HANDING OVER REMOVED ITEMS 1.2.2.14	or	1 Lot				
0	1.2.2.15		1 Lot				
Ρ	SPARE PARTS 1.7.2,16 *						
Q	TOOLS AND INSTRUMENTS 1.2.2.17 *						

* To be quoted under Table 1 (a) - Mandatory Spare Parts, Tools and Instruments

Α	A AMBALANGODA GSS								
1	145kV OUTDOOR SWITCHGEAR								
	1250A, 145kV, 31.5kA three- phase circuit breaker complete with operating mechanism etc.	1 No.							

Г

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties
nem	Description	Origin	Gry.	Foreign	CIP	Foreign	Local
1	2	3	4	Currency 5	6	Currency 7 = 4 x 6	Currency 8
	145kV, 31.5kA Current Transformers 400-200/1 (5P20), 400-200/1 (5P20), 400-200/1 (0.2), 2000/1 (5P20) with clamps		3 Nos.				
	120kV, 10kA, Class 2 Surge arresters with counters		1 No.				
2	36kV OUTDOOR SWITCHGEAR						
	36kV, 10kA, Class 2 Surge arresters with counters		3 Nos.			Q	
	Neutral Current Transformer 800/1A (5P20), 800/1A (5P20) with clamps		1 No.		Bild		
3	LVAC SWITCH BOARD			× *		·	
	MCBs of similar rating		3 Nos.				
	Indicator lamps		1 Set				
4	PROTECTION IEDs		1	•			
	Complete IED for 145 kV Tr. Bay	S	I No.				
	Complete IED for 36 kV feeder Bay	01	1 No.				
5		-					
	SF6 Gas filling kit suitable for the offered GIS model		3 Nos.				
	Pressure Relief DISC (GIS)		1 No.				
	Desiccant Containers (GIS)		1 No.				
	GIS End termination Kits		1 No.				
6	TOOLS AND INSTRUMENTS						
	SF6 Analyzer(dew point						
	measurement, moisture		1 No.				
	measurement,SO2 sensor)						
	SF6 gas leak detector		1 No.				
В	PANNALA GSS						
1	145kV OUTDOOR SWITCHGEA	R			1		
	2000A, 145kV, 25kA three-						
	phase circuit breaker		1 No.				
	complete unit Circuit Breaker Open Coils		3 Nos.				
	Circuit Breaker Closing Coils		3 Nos.				

		Country of		Unit Price ²		Total Price ²	Taxes and
Item	Description ¹	Origin	Qty.	Foreign	010	Foreign	Duties Local
		- 3		Currency	CIP	Currency	Currency
1	2	3	4	5	6	7 = 4 x 6	8
	1250A, 145 kV , 25 kA three-						
	phase busbar disconnector						
	with hand and motor		1 No.				
	operating mechanism &						
	connecting clamps.(Excluding						
	the mounting structure)						
	145kV, Current Transformers						
	200/1 (5P20) Main 1						
	protection,						
	200/1 (5P20) Main 2		1 No.				
	protection,		T INO.				
	2000/1 (5P20) Bus bar and						
	breaker failure protection						
	with clamps						
	120kV, 10kA, Class 2 Surge		1 No.		<u>, `0</u>		
	arresters with counters		I NO.		\mathcal{O}^{r}		
2	36kV OUTDOOR SWITCHGEAR						
	36kV, 10kA, Class 2 Surge		2 Nos.	<u> </u>			
	arresters with counters		2 1105.				
3	LVAC SWITCH BOARD		5	70	•		
	MCBs of similar rating for		3 Nos.				
	LVAC switch board						
	Indicator lamps		1 Set				
4	BATTERIES, CHARGERS & INVE	RTER	,				
	110V Charger modules		2 Nos.				
	Spare battery cells	0,	4 Nos.				
	110VDC-48VDC converters		2 Nos.				
5	PROTECTION IEDs						
	Complete IED for 145-kV Line		1 No.				
	Bay		_				
	Complete IED for 36 kV Line		1 No.				
	Вау						
	Complete IED for 20 W/Tr. D.		1 No.				
	Complete IED for 36 kV Tr. Bay		2 1 -				
	Trip Circuit Supervision Relay		3 Nos.				
6	MISCELLANEOUS						
	Batteries for 110Vmain		10 N				
	battery bank(In dry state without electrolite)		10 Nos.				
	Set of Dehydrating Breathers						
	for 132/33kV 31.5MVA Power		1 Set				
	Transformers (Main Tank &						
	OLTC)						
	SF6 Gas filling kit suitable for		2 Nos.				
	the offered GIS model		1 NL-				
	Pressure Relief Disc (GIS)		1 No.				

Item	Description ¹	Country of	Qty.	Unit P	rice ²	Total Price ²	Taxes and Duties
item	Description	Origin	Giy.	Foreign Currency	CIP	Foreign Currency	Local Currency
1	2	3	4	5	6	7 = 4 x 6	8
	Desiccant Containers (GIS)		1 No.				
	36 kV out door type End		1 No				
	termination Kits		1 No.				
7	TOOLS AND INSTRUMENTS						
	Digital Multimeters True RMS		2 Nos.				
	Breaker analyser		1 No.				
	SF6 Analyzer (dew point						
	measurement, moisture		1 No.				
	measurement ,SO2 sensor)						
	SF6 gas leak detector		1 No.				
	TOTAL Column 7 to be carried forw	ary					

Name of Bidder

Signature of Bidder

¹ The sub-clause numbers indicated in the table are related to Section 6 (Employer's Requirements), Part A -

² Specify currencies in accordance with Bid Data Sheet 19.1.Create additional columns for foreign currencies up to a maximum number of 3 foreign currencies if so required.

* To be quoted under Table 1 (a) - Mandatory Spare Parts, Tools and instruments

cook copy copy copy copy copy

Country of Origin Declaration Form

Item	Description	Country
		0
		N 1
	Table Description	Total Drice
	Table Description	Total Price
	Table Description FO	Total Price
Item	Description Control Ambalangoda Grid Substation Control	Total Price
ltem 1		Total Price
Item 1 2		Total Price
1 2		Total Price
Item 1 2		Total Price
Item 1 2		Total Price
Item 1 2		Total Price
1 2	Pannala Grid Substation	Total Price

EXW Unit Description Total EXW Price¹ Sales Tax **Total Price** Item Qty Price¹ 2 1 3 4 5 = 3 x 4 6 7 = 5 + 6 Bidding TOTAL Column 5 to be carried forward to Schedule No. 5. Grand Summary 40 ¹ Specify currency in accordance with Ro Data Sheet 19.1.

Schedule No. 2 - Plant and Mandatory Spare Parts Supplied from within the Employer's Country

Schedule No. 3 - Design Services

				Unit Price ¹		Total I	Price ¹
Item	Description ¹	Qty.	Local Currency Portion	Foreign Currency	Foreign Currency Portion	Local Currency Portion	Local Currency Portion
1	2	3	4	5	6	7 = 3 x 4	8 = 3 x 6
A	AMBALANGODA GRID SUBSTATION						
a)	Electrical Works						
	Design and Liaison of Electrical Works	1 Lot					
	Drawing and Documentation required for the Electrical Works	1 Lot			>		
b)	Mechanical Works		-	Bidi	JILLES		
	Design and Liaison of Mechanical Works	1 Lot		BI			
	Drawing and Documentation required for the Electrical Works	1 Lot	JOIT				
c)	Civil Works	A'					
	Design and Liaison of Civil Works	1 Lot					
	Drawing and Documentation required for the Electrical Works	1 Lot					
В	PANNALA GRID SUBSTATION						
a)	Electrical Work						
	Design and Liaison of Electrical Works	1 Lot					
	Drawing and Documentation required for the Electrical Works	1 Lot					
b)	Mechanical Works						
	Design and Liaison of Mechanical Works	1 Lot					
	Drawing and Documentation required for the Electrical Works	1 Lot					
c)	Civil Works						

	Description ¹	Qty.		Unit Price ¹		Total Price ¹	
Item			Local Currency Portion	Foreign Currency	Foreign Currency Portion	Local Currency Portion	Local Currency Portion
1	2	3	4	5	6	7 = 3 x 4	8 = 3 x 6
	Design and Liaison of Civil Works	1 Lot					
	Drawing and Documentation required for the Electrical Works	1 Lot					
	TOTAL Column 7 and 8 to be carried forward	l to Schedu	ıle No. 5. Gra	nd Summary	/		

Name of Bidder Signature of Bidder ¹ Specify currencies in accordance with Bid Data Sheet 19.1.

Schedule No. 4 – Civil Works, Installation, Other Services and Training

			Unit Price ²				Total Price ²	
ltem	Description ¹	Qty.	Local Currency Portion	Foreign Currency	Foreign Currency Portion	Local Currency Portion	Foreign Currency Portion	
1	2	3	4	5	6	7 = 3x4	8 = 3x6	
	CIVIL WORKS 1.3.1							
Α	AMBALANGODA GRID SUBSTATION 1.3.1	1						
1	Preliminary Works 1.3.1.1.1							
	Site Survey	ltem			in ⁹			
	Sub Soil Investigation	Item		Bid	5			
2	Site Clearing 1.3.1.1.2		. (10. 1				
	Removing surface chipping	ltem						
	Removing shrubs and boulders	Item						
	Removing existing chain link fence and drain	Ottom						
3	Site formation and up keeping 1.3.1							
	Fill up Surface Chipping	ltem						
	Anti-Termite soil treatment	Item						
4	Cable Trenches & Ducts 1.3.1.1.4	Item						
5	Foundations 1.3.1.1.5							
	For take-off structures & switchgear	ltem						
	For Main Power Transformer	ltem						
	For EarthingTransformer and NCT	Item						
6	Modifications of Lightning protection system 1.3.1.1.6	ltem						
7	Water Supply & Drainage System 1.3.1.1	.7						
	Modifications of Surface water drainage system	ltem						
8	Maintenance of Roads 1.3.1.1.8	Item						

			Unit Price ² Total Price ²				Unit Price ²	Total Price ²		
Item	Description ¹	Qty.	Local Currency Portion	Foreign Currency	Foreign Currency Portion	Local Currency Portion	Foreign Currency Portion			
1	2	3	4	5	6	7 = 3x4	8 = 3x6			
9	Fence, gates and boundary walls 1.3.1.1.9									
	Construction of Chain link fence at new indoor switchgear room	ltem								
	Required modifications of Barbed wire fence at new indoor switchgear room	Item								
10	Construction of control & other buildings	1.3.1.1.	10							
	Construction of new building to accommodate new 36kV Indoor switchgear panels	ltem		or Bild	ing					
	Sheltered passage between existing switchgear room and new switchgear room	ltem		N BIO						
	Required modification to existing control building	ltem	JOL N							
	Site Office at Ambalangoda GSS	Item								
	Temporary Works (Stores, access, contractor's offices etc)	Qtem								
11	Construction of building Services	11.	-							
	Air conditioning & ventilation ystem	Item								
	Fire protection	Item								
	Internal Lighting & small power supply services.	ltem								
11	Miscellaneous Work 1.3.1.1.12	Item								
В	PANNALA GRID SUBSTATION 1.3.1.2		-							
1	Preliminary Works 1.3.1.2.1									
	Site Survey	ltem								
	Sub Soil Investigation	ltem								
2	Site Clearing 1.3.1.2.2									
	Removing surface chipping	Item								

			Unit Price ²				Total Price ²		
ltem	Description ¹	Qty.	Local Currency Portion	Foreign Currency	Foreign Currency Portion	Local Currency Portion	Foreign Currency Portion		
1	2	3	4	5	6	7 = 3x4	8 = 3x6		
	Removing shrubs and boulders	Item							
	Relocating existing water tank & structure	ltem							
	Removing the chain link fence to accommodate new gate	ltem							
3	Site formation and up keeping 1.3.1.2.3								
	Cutting and filling earth	Item			~				
	Earth retaining structures	Item			ins				
	Rubble pitching works	ltem		Bild					
	Anti-Termite soil treatment	Item	ų	5					
	Surface Chipping	Item	70,						
4	Cable Trenches & Ducts 1.3.1.2.4	Item							
5	Foundations 1.3.1.2.5	<u>8,</u>							
	For take-off structures & switchger	Item							
	For Main Power Transformer Concrete	Item							
	For EarthingTransformer	Item							
6	Modifications of Lightning protection system 1.3.1.2.6	ltem							
7	Water Supply & Drainage System 1.3.1.2.	7							
	Modifications of surface water drainage system	ltem							
8	Construction & Maintenance of Roads 1.	3.1.2.8							
	Access road to new GIS building	Item							
	Repairing damaged access roads	Item							

1 9 F	Description ¹	Qty.	Local Currency Portion	Foreign Currency	Foreign Currency	Local Currency	Foreign
				Surrency	Portion	Portion	Currency Portion
9 6	-	3	4	5	6	7 = 3x4	8 = 3x6
	Construction of box culvert at the new gate	ltem					
	Fence, gates and boundary walls 1.3.1.2.9	9					
C	Chain link fence	ltem					
C	Gate for maintenance entrance	Item					
9 0	Construction of Control & Other Building	s 1.3.1.2	.10				
	New 33kV GIS room	Item					
	Construction of sheltered passage	Item			<i>}</i> /		
	Required modification to existing control building	ltem		, BIO			
	Site Office at Pannala	Item	<u> </u>	`			
	Temporary Works (Stores, access, contractor's offices etc)	Item					
11	Construction of building Services 1.3.1.2.	11.					
	Air conditioning & ventilation system	Item					
	Fire protection	Item					
	Internal Lighting & small power supply services.	ltem					
10	Miscellaneous Work 1.4, N2.11	Item					

Name of the Bidder

Signature of the Bidder

				Unit Price ²		Tota	al Price ²
Item	Description ¹	Qty.	Local Currency Portion	Foreign Currency	Foreign Currency Portion	Local Currency Portion	Foreign Currency Portion
1	2	3	4	5	6	7 = 3x4	8 = 3x6
	Installation 1.3.2						
Α	AMBALANGODA GRID SUBSTATION (Inst	allation)					
	Erection, installation & commissioning	ltem					
В	PANNALA GRID SUBSTATION (Installation	n)					
	Erection, installation & commissioning	Item					
	L Column 7 & 8 to be carried forward to Name of the Bidder Signature of the Bidder		the second secon			-	
	Inform						

				Unit Price ²		Tota	l Price ²
Item	Description ¹	Qty.	Local Currency Portion	Foreign Currency	Foreign Currency Portion	Local Currency Portion	Foreign Currency Portion
1	2	3	4	5	6	7 = 3x4	8 = 3x6
	OTHER SERVICES 1.3.3						
Α	Transport 1.3.3.1						
	Transport for Engineer's Personnel (Engineers)						
	4WD Double Cabs	3 Nos					
	Running and maintenance cost for 3 Nos. 4WD double cabs	135,000 km			•		
В	Engineers' Living Accommodation 1.3.3.2						
	Ambalangoda GSS	1 Lot		6.	2.		
	Pannala GSS	1 Lot		S			
с	Training 1.3.4		્દ્ર	5			
	Training Module given in 14.2.5: 33kV and 11kV GIS Indoor Switchgear.	1 Lot	70				
	Training Module given in 14.2.15: Grid Substation Primary Equipment handling	O ^{tot}					
	Training Module given in 14.2.6 Substation Automation and 14.2 12: Gateway/SAS Interfacing for SCADA Transmission.	1 Lot					
	Training Module given 14.2.14: Operators Training	1 Lot					
D	Price for Environment Mitigation Measures as per clause 1.1.5 of Part A of Section 6 Employers Requirements	1 Lot					

Table

Name of the Bidder

Signature of the Bidder

¹ The sub-clause numbers indicated in the table are related to Section 6 (Employer's Requirements), Part A - Scope of Work.


² Specify currency in accordance with Bid Data Sheet 19.1.

Schedule No. 5 - Grand Summary

		Total Price ¹					
Schedue No.	Title	Foreign	Local				
1	Plant and Mandatory Spare Parts Supplied from Abroad						
2	Plant and Mandatory Spare Parts Supplied from within the Employer's Country						
3	Design Services		~				
4	Civil Works, Installation and Other Services	NOT FOR BIDDIN	S				
GRAND TC	TAL to be carried forward to Letter of Bid	* for V					
		70.					
	Name of Bidder						
	Signature of Bidder						
1	ation						
	urrency in accordance with ITB 19.1 of the BDS. Cro number of three foreign currencies if so required.	eate additional columns for a	foreign currency up to a				
² Taxes an and Duties	d/or duties from Schedules 1 and 2 may be added to .).	the contract price in accord	ance with GCC 14 (Taxes				

Single-Stage: Two-Envelope





¹ Specify currency in accordance with Bid Data Sheet 19.1.

Schedule No. 7 - Day Works (Provisional)

No works whatsoever may be executed as day works, nor will payment be made for any Day works, except in such works necessary are brought to the notice of the employer and his agreement is recieved.

LABOUR

1

- The contractor shall be entitled to the following payments in respect of labour employed on Day works:
 - a) The aggregate amount of wages for such labour calculated on the actual hours worked at the wage rates set out in this Schedule up to the grade of charge hand or overseer working with the men (time for foremen is to be included in the percentage under 2(b) below).
 - b) 10 Percent of aggregate amount of wages calculated according to b paragraph 2(a) above.
- 2 The percentage addition provided in sub paragraph 2(b) above shall cover Contractor's profit, on cost, superintendence, insurance and all allowances to labour, time keeping and all clerical and office work as well as the use of tools, timber, light equipment and non-mechanical equipment and
- 3 The "Normal working Day" as hereinafter referred to hall be taken to be of eight hours excluding meal breaks and rest periods.
- In calculating the sums due to the Contractor for the execution of Day works, the hours for which payment shall be made for all personner and the hire of all equipment shall be reckoned from the time of starting the particular item of day work, either at the beginning of or during the course of a normal working day to the end of the normal working day or the time of completion of the particular item of Day work. Which were may be sooner. No payment shall be made for personnel or plant for hours outside the normal working day unless the said personnel and plant are employed on Day works outside the Normal Working Day on the written instruction of the Employer's Representative. The same Day work rate shall apply for works done both during and outside the Normal Working Day.
- 5 On completion of any authorised Day works, a written statement shall be issued by the Employer's Representative who shall sign it together with the Contractor and which shall state the number of workmen and their grades involved in the Day work, the number of hours worked and a detailed description of the Material used and the work carried out. A copy of this signed statement shall retained by the Employer's Representative and the Contractor and shall be the sole basis upon which payment for Day works will be made.

6 Day Work Rate For Labour

Class of Labour	Normal working Day of 8 Hours
Local Labour	
Unskilled Labourer	
Skilled Labourer	
Driver	
Steel Erector	
Linesman / Foreman	
Chargehand/Overseer	0
Surveyor (on survey work only)	- in the second s
Engineer	Bidding
	Average :
	Foreign Corrency (/Day) Average
Expatriate Labour	Nor
Linesman / Foreman	
Chargehand / Overseer	3
Steel Erector	
Surveyor (on survey work only	
Junior Engineer	
Senior Engineer	
	Average :

- 7 Any other class of labour envisaged by Contractors for the execution of any Dayworks, except that covered by Paragraph 3 above, i.e. superintendence, etc., shall be entered above together with the appropriate labour rates, and such rates shall be the only rates considered in any Dayworks claim.
- 8 The labour rates to be entered above shall include all other benefits or contributions made by the employer such as contributions to Social Insurance Schemes, Annual Leave, Termination of Employment and Redundancy Law, Provident Fund, Health Schemes, etc., which are imposed either by Law or by agreement with Trade Unions.

EQUIPMENT AND TRANSPORT

- 9 The rates for hire of equipment and transport shall apply only to equipment, which the Contractor has on site, and are to apply for the actual running hours for which the equipment is employed on work.
- 10 The rates shall include service, operators and necessary attendants, fuel, lubricants and other consumable.
- 11 The contractor may insert additional items and quantities provided that such are extended and added into the total of the Schedule.

MATERIALS

- 12 The rates for materials shall apply to the net amount of materials actually provided, erected and forming part of the works and shall include for delivery to the site of operations
- 13 The contractor may insert additional items and quantities provided that such are extended and added into the total of the schedule.

			Å	Lo	ocal Trar	isport & I	Erection	I
Item	Qtv	Qty Description	Unit		Foreign		Local	
				Foreign Currency	Rates	Total	Rates	Total
1	-	LABOUR GO						
1.01	10	Local	Days					
1.02	10	Expatriate	Days					
2	-	EQUIPMENT						
2.01	25	Welding set for two welders	Hours					
2.02	25	Acetylene cutting equipment	Hours					
2.03	25	Air compressor (180 m3/hr. at 7 atmospheres) complete with hoses and tools	Hours					
2.04	20	Live line scaffolding complete for 1 existing line (excluding labour element)	Hours					
2.05	25	Tractor with winch	Hours					

2.06	25	Tractor without winch	Hours					
2.07	25	5-tonne lorry	Hours					
2.08	25	2-tonne lorry	Hours					
2.09	10	5-seater saloon car (or similar)	Hours					
				Lo	ocal Trar	nsport &	Erection	I
ltem	Qty	Description	Unit		Foreign		Lo	ocal
				Foreign Currency	Rates	Total	Rates	Total
2.1	20	Bulldozer (D6 or similar)	Hours					
2.11	50	2 wheel trailer (for use with tractor or lorry).	Hours	torBi	dir			
2.12	10	Unimong	Hours	, Ś				
2.13	50	Landrover, jeep or similar	Hours	401				
2.14	50	Pick-up Truck	HONE					
2.15	10	Mobile crane up to 6 tonne lift	Hours					
3		MATERIAL						
3.01	20	Cement	ton					
3.02	50	Sand	m ³					
3.03	50	Crushed stone	m ³					
3.04	10	Reinforcing teel	m ³					
3.05	10	Structural ungalvanised mild steel sections	m ³					
3.06	30	Welding rods	kg					
3.07	20	Sawn timber	m2					
3.08	100	Imported material for backfill	m3					
3.09	150	Rubble stones for foundation work (150- 300mm dia.)						

4		Works				
4.01	200	Rock blasting (controlled) or rock excavation and carting away	m³			
		Total				

The following rates shall apply where, by agreement with the Employer's Representative, supervisory staff are employed on day works in a direct capacity, i.e. other in their normal supervisory capacity. The rates also be used as a basis for assessing any legitimate claims for extra costs in accordance with the provisions of the Conditions of Contract, where these have not been claimed as dayworks. No payment shall be made without the prior written authority of the Employer's Representative, and the provisions of the conditions of Contract shall apply to any claim for payment. The Contractor shall insert in the following Schedule descriptions and rates for any clause of supervisory staff envisaged which are not already included.

	×0 ¹
Class of supervisory staff	Normal working Day of 8 Hours
	Foreign
Expatriate	Currency / Day
Senior Engineer	
Junior Engineer	
Surveyor	
Foreman	
Junior Engineer Surveyor Foreman Local	LKR./Day
Surveyor	
Foreman	

Schedule No. 8 - Rates for Variations

PART I – CIVIL WORKS

The Tenderer is reminded that this is a Turnkey Contract. No additional costs will be considered for any items, which the Tender has overlooked.

The Tenderer shall insert rates against each of the items listed in the Schedule. The rates shall be analogous to those used in calculating the Tender Price, and shall be used to evaluate modifications omissions and or additions to the Works where these are instructed by the Employer's Representative before the commencement of the Maintenance Period.

The rates shall be the fully inclusive value of the work described including the cost of any temporary work associated therewith. They shall also include all overheads profit supervision accommodation insurance transport duties risks liabilities obligations and the like but shall exclude design cost which are included as a separate item. Design costs shall only be applied for the work, which necessitates the approval of calculations and/or drawings, by the Employer's Representative.

Rates for items not included in the Schedule shall be based on those quoted where appropriate. Where no suitable rates are existing a new rate based on invoices and other cost records may be agreed. In the event of disagreement, the Employer's Representative shall fix such rates or prices as shall, in his opinion, be reasonable and proper having regard to the circumstances.

The Contract Price shall be adjusted on the basis of the value of the Employer's Representative's instructions priced as described in the foregoing paragraphs

	κO.		
Item	Description	Unit	Rate
			LKR
1	Foundation Piling		
1.1	Mobilisation & Demobilisation	Item	
1.2	Type and size of pile :		
1.2.1	Type : Cast in situ		
	Type : Cast in situ Size : 460 mm Dia Pile	lin.m	
1.2.2	Type : Precast		
	Size: 350 mm x 350 run square	lin.m	
2	Excavation		
2.1	Excavated to reduced level and remove and deposit where directed on site-include of timbering, de-watering, etc. (measured net sized as drawing)	cu.m	
2.2	Excavated to form pit, base, or trench as previously described	cu.m	
2.3	Additional excavation beyond net sizes for working space to fix and remove form work and to backfill	cu.m	
2.4	Extra Over excavation rates for excavation in rock and carting away	cu.m	
2.5	Approved hard-core well rammed and consolidated in layers of various thickness up to 300 mm and blinded to concrete		
3	Concrete		
3.1	Grade C10 in weak fill	cu.m	

14.0.00	Description		Rate	
ltem	Description	Unit	LKR	
3.2	Grade C10 in 50 mm thick blinding	sq.m		
3.3	Grade C20 in foundations and bases	cu.m		
3.4	Grade C25 in foundations and bases			
1	Reinforced Concrete			
4.1	Grade C30 concrete in foundations bases, plinths, etc.	cu.m		
4.2	Grade 20 concrete, ditto	cu.m		
4.3	Grade C25 concrete, ditto	cu.m		
4.4	Grade C25 concrete in columns	cu.m		
4.5	Grade C25 concrete in beams	cu.m		
4.6	Grade C25 concrete in walls	cu.m.		
4.7	Extra over all concrete rates for sulphate resisting cement	cu.m		
5	Reinforcement			
5.1	16 mm Diameter and upwards mild steel bar or round reinforcement hooked, bent and fixed including all necessary typing wire	Kg		
5.2	12 mm Diameter as previously described	Kg		
5.3	10 mm Diameter as previously described	Кg		
5.4	Fabric reinforcement weighing 4 kg per square meter, including fixing	Se.m		
5.5	Extra over mild steel rates for high tensile reinforcement (as sizes)	Kg		
6	Formwork	1		
6.1	To foundations	sq.m		
6.2	To columns	sq.m		
6.3	To soffits of beam	sq.m		
6.4	To walls	sq.m		
6.5	To soffits of slabs	sq.m		
6.6	Extra over straight formwork for in any position	sq.m		
7	Pre-cast Concrete	· ·		
7.1	Including reinforcement and hoisting			
7.2	1 meter wide x 130 mm thick plant with ditto and ditto	lin.m		
7.3	50 mm thick paving slabs size 600 mm square on and including bed of sand	sq.m		
7.4	Duct or cable trench covers	sq.m		
8	Sundries	· ·		
8.1	Damp proof membrane	sq.m		
8.2	Form pocket in concrete 150 mm square x 450 mm deep	No.		
8.3	Form pocket in concrete 100 mm square x 225 mm deep	No.		
8.4	Form anti-vibration joint 18 mm wise x 200 mm deep and seal with approved sealant	lin.m		
8.5	Concrete contraction joint s	lin.m		
9	Block-work			
9.1	100 mm thick hollow cement block walling in mortar, left rough for plaster both sides and include for all labour, cutting and waste	Sq.m		
9.2	150 mm thick solid cement block walling as before described	Sq.m		
9.3	200 mm thick hollow cement block walling in mortar and left rough for plaster both sides and include for all labour cutting and waste	sq.m		
9.4	Extra over 200 mm block walling as before described or reinforcing every second horizontal bed joint with approved reinforcement	sq.m		

ltem	Description	Unit	Rate LKR
9.5	Form 300 mm square opening in 200 mm thick concrete block walling	No.	
9.6	Bituminous felt damp proof course and bed and point in walling	sq.m	
9.7	Brick masonry in wall panel in concrete framed building	sq.m	
9.8	R/R/ Masonary walls	cu.m	
10	Roofing		
10.1	Lightweight screed of pumice aggregate or similar, laid to falls	sq.m	
10.2	Asphalt covering in two layers total 20 mm thickness, laid to falls on sheathing felt, including for dressing over edges and round pipes, etc. and for white spar chipping.	sq.m	
10.3	Asbestos cement corrugated sheets fixed to and including steel purlins, to include labour, fixing, laps, cutting and waste	sq.m	
11	Joinery		
11.1	50 mm plywood faced, solid core, flush door size 85 x 200 cm hung complete, including door frame, door fittings' locks and decoration as specified		
11.2	Adjustable louvred ventilators, at high or low level, fixed complete, including for hardwood and metal framing and glassing louvers complete	(Stym	
11.3	Double leaf smoke-stop door 16=70 cm. Side x 200 cm high, opening in direction indicated, fully glazed with wired glass		
12	Structural Steelwork		
12.1	Galvanised mild steel structural steelwork fabricated, and erected	Tonne	
12.2	Galvanised mild steel support structures for sub station equipment and take off structures fabricated and erected in sub station	Tonne	
13	Metalwork		
13.1	Galvanised steel louvers, fixed complete	sq.m	
13.2	60 x 60 m mild steel angle with lugs welded on and stop to support chequered plate (measured elsewhere) cover to able trench include for forming rebate for angle bedding, grouting and fixing	lin.m	
13.3	8 mm thick galvanised mild steel chequered plate cover to cable trench and include for fixing	sq.m	
13.4	Supply, bed and fix complete aturninium windows with sliding lights with and including glass and glazing with fittings	sq.m	
13.5	Steel door 850x2000mm		
14	Building Work in Connection with Service and Plant Installation		
14.1	Cut or form hole for pipe through 150 mm thick cement block walling and make good plaster both sides	No.	
14.2	Cut or form hole for pipe through 200 mm thick concrete block wall as described before	No.	
14.3	Cut or form hole for pipe through 250 mm overall thickness cavity block wall as before described	No.	
14.4	Cut or form hole for pipe through 150 mm thick reinforced concrete wall	No.	
14.5	Cut or form hole for pipe through 150 mm thick reinforced concrete slab	No.	
14.6	100 mm thick solid concrete block walling in cement mortar in duct walls finished fair face with flush joint one side	sq.m	
14.7	Concrete Class "C30" in plinth or base including all necessary formwork	cu.m	
14.8	Break-out reinforced concrete exceeding 300 mm thick and remove	sq.m	
14.9	Break-out reinforced concrete exceeding 300 mm thick and remove	cu.m	
14.1	Break-out 200 mm thick rendered/plastered hollow concrete block walling and remove	sq.m	

ltem	Description	Unit	Rate LKR
14.1	Ditto but 100 mm overall thickness concrete block-work cavity wall	sq.m	
14.1	Ditto but 250 mm overall thickness concrete block-work cavity wall	sq.m	
14.1	Cut chase for conduit or pipe in brick or block walling and make good	lin.m	
14.1	Cut chase for conduit in concrete and make good	lin.m	
14.2	Supply and fix complete light switch	No.	
14.2	Supply and fix complete power socket outlet 13 AMPS	No.	
14.2	Supply and fix complete light fittings (60 Watt fluorescent)	No.	
15	Plasterwork and other Floor Wall and Ceiling Fishes		
15.1	Plasterwork as specified on concrete block walling inclusive of forming key, narrow widths, small quantities and all labors	sq.m	
15.2	Ditto but on ceilings	sq.m	
15.3	Tyrolean external render as specified on concrete and block walling as previously described	sq.m	
15.4	40 mm thick cement and sand screed finished hard and smooth with surface hardener	sq.m	
15.5	Ceramic tiles laid on screeded floor	sq.m	
15.6	Ditto in walls	<u>s</u> m	
16	Glazing		
16.1	3 mm clear sheet glass and glazing in various sizes to wood or metal frames with mastic putty	sq.m	
16.2	4 mm wired cast glass and ditto	sq.m	
17	Paint and Decoration		
	Preparing and Applying the Following Finished Surface Alkas Specified and Described	sq.m	
17.1	Emulsion on fair face concrete or block walling	Sq.m	
17.3	Emulsion on Tyrolean rendered walls	sq.m	
17.4	Emulsion on plastered soffit	sq.m	
17.5	Paint as specified to wooden frames and doors	sq.m	
17.6	Paint – ditto – to steel surfaces	sq.m	
18	Roads and Fences	oq.m	
18.1	Constructed complete, including excavation or fill, compacted stone base,	sq.m	
18.2	sub-based, etc 2.5 m high 200 mm rendered concrete block wall with coping, piers		
	Security barbed where etc. erected complete as specified including excavation, concrete footings etc.	Lin.m	
18.3	Double leaf gates all as specified	No.	
18.4	Block masonary boundary walls 1.5m high	lin.m	
19	Drainage		
19.1	100 mm pipe laid and jointed complete average depth to invert 1 meter, including excavation and reinstatement	lin.m	
19.2	150 mm ditto and ditto	lin.m	
19.3	Ditto but average depth to invert 2 meters and ditto	lin.m	
19.4	Manhole constructed complete, including excavation, rendered concrete walls, benching, cover and frame, internal size	No.	
	Size 1.3 x 1.0 meter, depth to invert not exceeding 2 meters		
19.5	Ditto but inspection chamber, internal size 600x500 mm not exceeding 500 mm to invert	No.	

Section 4 - Bidding Forms

Item	Description		Rate
nem	Description	Unit	LKR
20	Water Supply		
20.1	40 mm diameter UPVC pressure pipe laid complete, depth not exceeding 1 meter	lin.m	
20.2	40 mm diameter sluice valve laid and jointed complete with hatch box and cover	No.	
21	Design Work		
	Percentage to be added to cost of construction, for design and detailing of any part of the work, including architectural, structural including architectural,. Structural	Item	

whormation copy. Not for Bidding

PART II – MECHANICAL AND ELECTRICAL WORKS

The Contractor is reminded that this is a Turnkey Contract in which he is entirely responsible for every aspect. No additional costs will be considered for any items, which the Contractor has overlooked, but which is essential for the proper completion of the project in every respect, so that the works fulfil the purpose for which they are required.

If the Employer or the Engineer requires modifications, additions or omissions to the scope of the Civil Works/services, during the period of construction or maintenance, adjustment to the contract price will be made on the basis of the rates entered in the following schedule.

The rates entered shall include all costs and expenses involved in the proper construction of the work, including overheads, profit, supervision, accommodation, insurance, transport, duties, all risks, liabilities or obligations, etc., but excluding design costs, which are covered by a separate item.

The rate will be used to evaluate Employer's or Engineer's modifications, omissions or additions to the works. Rates for any items not included shall be based on those quoted or analogous thereto. The tenderer shall price all items, which are relevant to his design and tender.

Item	Description	Unit	Rate Sri – Lanka Rupees
1	Mechanical	each	
1.1	Extract ventilation units	m	
1.2	Ductwork 25 mm	m	
1.3	Ductwork 38 mm	m	
1.4	Ductwork 50 mm		
1.5	Ductwork (weather proof) 50 mm	m	
1.6	Extract air grills complete with internat fittings, gaskets screws, etc. as specified	each	
1.7	External louver for item 6	each	
1.8	Air Conditioning unit (split type	each	
2	Electrical		
	Switches complete with box, up to 3 m circuit wiring, junction box and gland	S	
2.1	Surface 15 amp 1 val	per gang	
2.2	Surface 15 amp way	per gang	
2.3	Spur unit complete with box, up to 6m of circuit wiring junction box and glands	per gang	
2.4	Type S1 surface	per gang	
2.5	Type S2 fixed spur box	per gang	
2.6	Time switch	each	
2.7	Photo-electric cell control	each	
2.8	Extra circuit wiring	m	

PART III – EXTRA WORKS

CONTROL AND POWER CABLES

(See Employer Requirements for details)

Bidder should extend in the table below based on drum lengths of each cable offered.

Item No.	Description	No of cores & cross section	R R		
		mm ²	Foreign	Lo	cal
1	33kV single phase XLPE cable				
1.1	Cable Supply rate per km				
1.2	Cable Installation rate per km				
1.3	Cable Termination rate per km				

EARTHING SYSTEM

EARTHING SYSTEM (See Employer Requirements for details) Earthing Supply and Installation Rate per m/no.						
ltem	Supply	Install		Rates per Termination		
	Foreign	Local	Foreign	Local	Foreign	Local
Currency		LKR		LKR		LKR
Details:	unformation cor	2				

Description No. of Year of Owned (O) or Est. Power New or Capacity **CIP** Value (Type, Model, Leased (L) Each Manufacture Used Rating ton or m3 Make) Mormation copy. Not to Biodimos

Schedule No. 9 - Schedule of Major Items of Constructional Plant